



250800341037

报告编号: SZ25100016G2

检测报告

TEST REPORT

样品名称	友谊县清源供水有限公司出厂水
委托单位	友谊县清源供水有限公司
检测类别	委托检验

黑龙江中诺检验检测有限公司

HeiLongjiang Zhongnuo Inspection and Testing co., LTD.



黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 1 页 共 7 页

样品名称	友谊县清源供水有限公司出厂水		
规格型号	——	样品数量	120L
生产日期	——	批号	——
样品等级	——	商标	——
样品来源	客户邮寄	样品状态	液体
委托单位及地址	友谊县清源供水有限公司 黑龙江省双鸭山市友谊县建设乡 201 地籍子区 247 号自来水公司院内 3 栋		
受测单位及地址	友谊县清源供水有限公司 黑龙江省双鸭山市友谊县建设乡 201 地籍子区 247 号自来水公司院内 3 栋		
样品接收日期	2025 年 10 月 21 日	检测日期	2025 年 10 月 21 日 -2025 年 11 月 06 日
检测项目	总大肠菌群、铅、菌落总数等 97 项		
判定依据	GB 5749-2022 《生活饮用水卫生标准》		
检测结论	该样品经检测, 所检项目符合判定标准的要求。  (检验检测专用章)		
备注	此报告替代编号 SZ25100016G1 检测报告, 自此报告签发之日起原报告 SZ25100016G1 作废, 不具有任何法律效力。		

主检人

史录辛

审核人

李庆杰

批准人

源

签发日期

2025 年 11 月 06 日

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 2 页 共 7 页

序号	检测项目	单位	标准限值	检测结果	单项结论	检测方法
1	总大肠菌群	MPN/100mL	不应检出	未检出	合格	GB/T 5750.12-2023 5.1
2	大肠埃希氏菌	MPN/100mL	不应检出	未检出	合格	GB/T 5750.12-2023 7.1
3	菌落总数	CFU/mL	≤100	39	合格	GB/T 5750.12-2023 4.1
4	砷	mg/L	≤0.01	<0.0010	合格	GB/T 5750.6-2023 9.1
5	镉	mg/L	≤0.005	<0.0005	合格	GB/T 5750.6-2023 12.1
6	铬（六价）	mg/L	≤0.05	<0.004	合格	GB/T 5750.6-2023 13.1
7	铅	mg/L	≤0.01	<0.0025	合格	GB/T 5750.6-2023 14.1
8	汞	mg/L	≤0.001	<0.0001	合格	GB/T 5750.6-2023 11.1
9	氰化物	mg/L	≤0.05	<0.002	合格	GB/T 5750.5-2023 7.1
10	氟化物	mg/L	≤1.0	<0.1	合格	GB/T 5750.5-2023 6.3
11	硝酸盐（以 N 计）	mg/L	≤10	3.6	合格	GB/T 5750.5-2023 8.2
12	三氯甲烷	mg/L	≤0.06	<0.000032	合格	GB/T 5750.10-2023 4.3
13	一氯二溴甲烷	mg/L	≤0.1	<0.000016	合格	GB/T 5750.10-2023 7.2
14	二氯一溴甲烷	mg/L	≤0.06	<0.000015	合格	GB/T 5750.10-2023 6.2
15	三溴甲烷	mg/L	≤0.1	<0.000041	合格	GB/T 5750.10-2023 5.2
16	三卤甲烷 （三氯甲烷、一氯二溴 甲烷、二氯一溴甲烷、 三溴甲烷的总和）	——	该类化合物中各 种化合物的实测 浓度与其各自限 值的比值之和不 超过 1	<0.001	合格	——
17	二氯乙酸	mg/L	≤0.05	<0.0020	合格	GB/T 5750.10-2023 15.1

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 3 页 共 7 页

序号	检测项目	单位	标准限值	检测结果	单项结论	检测方法
18	三氯乙酸	mg/L	≤ 0.1	< 0.0010	合格	GB/T 5750.10-2023 16.1
19	溴酸盐	mg/L	≤ 0.01	< 0.005	合格	GB/T 5750.10-2023 22.1
20	亚氯酸盐	mg/L	≤ 0.7	< 0.04	合格	GB/T 5750.10-2023 20.1
21	氯酸盐	mg/L	≤ 0.7	< 0.23	合格	GB/T 5750.10-2023 21.1
22	色度 (铂钴色度单位)	度	≤ 15	< 5	合格	GB/T 5750.4-2023 4.1
23	浑浊度 (散射浑浊度单位)	NTU	≤ 1	< 1	合格	GB/T 5750.4-2023 5.2
24	臭和味	——	无异臭、异味	无异臭、异味	合格	GB/T 5750.4-2023 6.1
25	肉眼可见物	——	无	无	合格	GB/T 5750.4-2023 7.1
26	pH	——	不小于 6.5 且不 大于 8.5	6.82	合格	GB/T 5750.4-2023 8.1
27	铝	mg/L	≤ 0.2	< 0.040	合格	GB/T 5750.6-2023 4.4
28	铁	mg/L	≤ 0.3	0.010	合格	GB/T 5750.6-2023 5.3
29	锰	mg/L	≤ 0.1	0.003	合格	GB/T 5750.6-2023 6.5
30	铜	mg/L	≤ 1.0	< 0.009	合格	GB/T 5750.6-2023 7.5
31	锌	mg/L	≤ 1.0	0.010	合格	GB/T 5750.6-2023 8.3
32	氯化物	mg/L	≤ 250	19	合格	GB/T 5750.5-2023 5.1
33	硫酸盐	mg/L	≤ 250	17	合格	GB/T 5750.5-2023 4.1
34	溶解性总固体	mg/L	≤ 1000	141	合格	GB/T 5750.4-2023 11.1
35	总硬度 (以 CaCO_3 计)	mg/L	≤ 450	95	合格	GB/T 5750.4-2023 10.1

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 4 页 共 7 页

序号	检测项目	单位	标准限值	检测结果	单项结论	检测方法
36	高锰酸盐指数 (以 O ₂ 计)	mg/L	≤3	1.53	合格	GB/T 5750.7-2023 4.1
37	氨 (以 N 计)	mg/L	≤0.5	0.05	合格	GB/T 5750.5-2023 11.1
38	总α放射性	Bq/L	≤0.5	<0.02	合格	GB/T 5750.13-2023 4.1
39	总β放射性	Bq/L	≤1	<0.03	合格	GB/T 5750.13-2023 5.1
40	贾第鞭毛虫*	个/10L	<1	0	合格	GB/T 5750.12-2023 8.2
41	隐孢子虫*	个/10L	<1	0	合格	GB/T 5750.12-2023 9.2
42	镭	mg/L	≤0.005	<0.0005	合格	GB/T 5750.6-2023 22.1
43	钡	mg/L	≤0.7	<0.0003	合格	GB/T 5750.6-2023 19.3
44	铍	mg/L	≤0.002	<0.0002	合格	GB/T 5750.6-2023 23.2
45	硼	mg/L	≤1.0	<0.20	合格	GB/T 5750.6-2023 29.1
46	钼	mg/L	≤0.07	<0.005	合格	GB/T 5750.6-2023 16.1
47	镍	mg/L	≤0.02	<0.005	合格	GB/T 5750.6-2023 18.1
48	银	mg/L	≤0.05	<0.00009	合格	GB/T 5750.6-2023 15.4
49	铊	mg/L	≤0.0001	<0.00001	合格	GB/T 5750.6-2023 24.1
50	硒	mg/L	≤0.01	<0.0004	合格	GB/T 5750.6-2023 10.1
51	高氯酸盐	mg/L	≤0.07	<0.005	合格	GB/T 5750.5-2023 14.1
52	二氯甲烷	mg/L	≤0.02	<0.00199	合格	GB/T 5750.8-2023 49.3
53	1,2-二氯乙烷	mg/L	≤0.03	<0.000127	合格	GB/T 5750.8-2023 5.1

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 5 页 共 7 页

序号	检测项目		单位	标准限值	检测结果	单项结论	检测方法
54	四氯化碳		mg/L	≤ 0.002	< 0.0001	合格	GB/T 5750.8-2023 4.1
55	氯乙烯		mg/L	≤ 0.001	< 0.000237	合格	GB/T 5750.8-2023 7.2
56	1,1-二氯乙烯		mg/L	≤ 0.03	< 0.000241	合格	GB/T 5750.8-2023 8.2
57	1,2-二氯乙烯 (总量)	顺-1,2-二氯乙烯	mg/L	≤ 0.05	< 0.000275	合格	GB/T 5750.8-2023 9.2
		反-1,2-二氯乙烯					
58	三氯乙烯		mg/L	≤ 0.02	< 0.000220	合格	GB/T 5750.8-2023 10.1
59	四氯乙烯		mg/L	≤ 0.04	< 0.000190	合格	GB/T 5750.8-2023 11.1
60	六氯丁二烯		mg/L	≤ 0.0006	< 0.000121	合格	GB/T 5750.8-2023 47.1
61	苯		mg/L	≤ 0.01	< 0.000078	合格	GB/T 5750.8-2023 21.3
62	甲苯		mg/L	≤ 0.7	< 0.000230	合格	GB/T 5750.8-2023 22.1
63	二甲苯 (总量)		mg/L	≤ 0.5	< 0.000066	合格	GB/T 5750.8-2023 23.1
64	苯乙烯		mg/L	≤ 0.02	< 0.000125	合格	GB/T 5750.8-2023 38.3
65	氯苯		mg/L	≤ 0.3	< 0.000125	合格	GB/T 5750.8-2023 26.1
66	1,4-二氯苯		mg/L	≤ 0.3	< 0.000058	合格	GB/T 5750.8-2023 29.1
67	三氯苯 (总量)	1,2,4-三氯苯	mg/L	≤ 0.02	< 0.000020	合格	GB/T 5750.8-2023 30.2
		1,2,3-三氯苯	mg/L		< 0.000011		
		1,3,5-三氯苯	mg/L		< 0.000014		
68	六氯苯		mg/L	≤ 0.001	< 0.00025	合格	GB/T 5750.9-2023 23.2

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 6 页 共 7 页

序号	检测项目	单位	标准限值	检测结果	单项结论	检测方法
69	七氯	mg/L	≤ 0.0004	< 0.00034	合格	GB/T 5750.9-2023 22.2
70	马拉硫磷	mg/L	≤ 0.25	< 0.00040	合格	GB/T 5750.9-2023 10.2
71	乐果	mg/L	≤ 0.006	< 0.00072	合格	GB/T 5750.9-2023 11.2
72	灭草松	mg/L	≤ 0.3	< 0.0005	合格	GB/T 5750.9-2023 15.1
73	百菌清	mg/L	≤ 0.01	< 0.00042	合格	GB/T 5750.9-2023 12.1
74	呋喃丹	mg/L	≤ 0.007	< 0.000125	合格	GB/T 5750.9-2023 18.1
75	毒死蜱	mg/L	≤ 0.03	< 0.00025	合格	GB/T 5750.9-2023 19.2
76	草甘膦	mg/L	≤ 0.7	< 0.025	合格	GB/T 5750.9-2023 21.1
77	敌敌畏	mg/L	≤ 0.001	< 0.00042	合格	GB/T 5750.9-2023 17.2
78	莠去津	mg/L	≤ 0.002	< 0.0005	合格	GB/T 5750.9-2023 20.1
79	溴氰菊酯	mg/L	≤ 0.02	< 0.00101	合格	GB/T 5750.9-2023 14.1
80	2,4-滴	mg/L	≤ 0.03	< 0.00015	合格	GB/T 5750.9-2023 16.1
81	乙草胺	mg/L	≤ 0.02	< 0.00002	合格	GB/T 5750.9-2023 41.1
82	五氯酚	mg/L	≤ 0.009	< 0.00099	合格	GB/T 5750.9-2023 24.3
83	2,4,6-三氯酚	mg/L	≤ 0.2	< 0.00004	合格	GB/T 5750.10-2023 19.1
84	苯并(a)芘	mg/L	≤ 0.00001	< 0.0000014	合格	GB/T 5750.8-2023 12.1
85	邻苯二甲酸二(2-乙基己基)酯	mg/L	≤ 0.008	< 0.00041	合格	GB/T 5750.8-2023 15.1
86	丙烯酰胺	mg/L	≤ 0.0005	< 0.00005	合格	GB/T 5750.8-2023 13.2

黑龙江中诺检验检测有限公司

检测报告



报告编号: SZ25100016G2

第 7 页 共 7 页

序号	检测项目	单位	标准限值	检测结果	单项结论	检测方法
87	环氧氯丙烷	mg/L	≤ 0.0004	< 0.00006	合格	GB/T 5750.8-2023 20.1
88	微囊藻毒素-LR (藻类暴发情况发生时)	mg/L	≤ 0.001	< 0.00006	合格	GB/T 5750.8-2023 16.1
89	钠	mg/L	≤ 200	7.21	合格	GB/T 5750.6-2023 25.3
90	挥发酚类 (以苯酚计)	mg/L	≤ 0.002	< 0.002	合格	GB/T 5750.4-2023 12.1
91	阴离子合成洗涤剂	mg/L	≤ 0.3	< 0.050	合格	GB/T 5750.4-2023 13.1
92	2-甲基异莰醇	mg/L	≤ 0.00001	< 0.0000022	合格	GB/T 5750.8-2023 77
93	土臭素	mg/L	≤ 0.00001	< 0.0000038	合格	GB/T 5750.8-2023 76.1
94	游离氯	mg/L	——	0.33	——	GB/T 5750.11-2023 4.1
95	总氯	mg/L	——	< 0.02	——	GB/T 5750.11-2023 5.1
96	臭氧	mg/L	——	< 0.01	——	GB/T 5750.11-2023 9.3
97	二氧化氯	mg/L	——	< 0.025	——	GB/T 5750.11-2023 8.1

备注: “*” 为分包项目, 分包项目不在本公司资质认定范围内, 分包项目由山东众合天成检验有限公司 (资质认定证书编号 221500340215) 检测完成。

以下空白

EXPLANATION

1. 检验检测报告为打印件，涂改、删减、无批准人签字，未加盖“黑龙江中诺检验检测有限公司检验检测专用章”及骑缝章无效。

The testing report is printed. It is invalid if altered, deleted, without the signature of the approver, without the "special seal for inspection and testing of HeiLongjiang Zhongnuo Inspection and Testing co., LTD." and without a seal on the perforation.

2. 未经本公司批准，不得复制（全文复制除外）本报告、不得用作广告宣传。

Without the approval of our company, the report shall not be copied (except full-text copy), and shall not be used for advertising.

3. 对报告数据如有异议者，请于收到报告之日起十五日内向本公司提出，逾期不予受理。微生物检验样品不做复检。

If you have any objection to the report data, please submit it to our company within 15 days after receiving the report, it will not be accepted if it is overdue. Microbiological test samples are not retested.

4. 委托检验：系指委托者自带样品送检，依据标准或合同约定进行检验，检验结果仅适用于委托者提供的样品。

Entrusted inspection: means that the consignor delivers the sample for inspection, our company inspects it according to the standard or contract, and the inspection result is only applicable to the sample provided by the consignor.

5. 报告中带有*号的为分包检验项目。

The items marked with "*" in the report are subcontracted inspection items.

6. 本检验检测报告一式二份，一份由本公司质量管理部门存档，一份提交送检单位或客户，若客户有需要可以增加提供份数。

The testing report shall be made in duplicate, one of which shall be archived by the quality management department of our company and one of which shall be submitted to the inspection unit or the customer. If the customer has any need, the number of copies may be increased.

7. 送检样品的代表性和真实性由委托者负责。

The representativeness and authenticity of the samples shall be the responsibility of the client.

黑龙江中诺检验检测有限公司

HeiLongjiang Zhongnuo Inspection and Testing co., LTD.

地址 (Add)：哈尔滨经济技术开发区哈平路集中区松花路9号中国云谷软件园 A5 号楼 3 层

电话 (Tel)：0451-86524011 邮编：150000